

Heterophynone and methyl ester of Colic acid, two new compounds with antimicrobial activity from Cola heterophylla (Sterculiaceae)

Martin Mbané Noah ➡, Maurice Tagatsing Fotsing, Alex de Théodore Atchadé ➡, Pierre Mkounga,

Fabrice Fekam Boyom, Emmanuel Talla, ...show all

Received 24 Feb 2020, Accepted 23 May 2020, Published online: 12 Jun 2020

https://doi.org/10.1080/14786419.2020.1777412 66 Download citation



Sélectionner une langue | ▼ Translator disclaimer

Abstract

The ethyl acetate fraction, the stem bark and the residual methanolic extracts from the leaves of *Cola heterophylla* (Sterculiaceae) led to the isolation of two new compounds: Heterophynone (1) and methyl ester of Colic acid (6), along with four known triterpenes: betulinic acid (2), oleanolic acid (3), ursolic acid (4) and chletric acid (5). Structures of compounds were established by different spectroscopic methods that included 1D and 2D NMR experiment. The antimicrobial activity of isolated compounds was evaluated against two yeasts, *Candida Albicans* NR 29456 and *Candida Krusei* 1415; and five Gram-positive bacterial, *Salmonella enteric Serovar Muenchem, Salmonella enteric Serovar Thyphimurium, Staphylococcus aureus* NR 46003, *Staphylococcus aureus* NR46374 and *Pseudomonas aeruginosa* HM 601). Among tested compounds, Heterophynone was found to be the most active with significant antimicrobial activity against *Salmonella enteric Serovar Thyphimurium* (MIC = 7.82 µg/mL and MBC = 62.5 µg/mL) and good activity against *Candida Albicans* NR 29456 (MIC = 62.5 µg/mL).

Keywords: Cola heterophylla, heterophynone, methyl ester of Colic acid, antimicrobial

✓ Previous article
View latest articles
Next article >

Log in via your institution

- **>** Shibboleth
- OpenAthens

Log in to Taylor & Francis Online

Log in

Restore content access

> Restore content access for purchases made as guest

Purchase * Save for later

Online

Article Purchase

24 hours to view or download: EUR 45.00

Add to cart

Issue Purchase

30 days to view or download: EUR 463.00

Add to cart

^{*} Local tax will be added as applicable

Acknowledgements

The authors thank the Department of Organic Chemistry at the University of Yaounde 1 for helpful assistance. We gratefully acknowledge the Laboratory for phytobiochemistry and medicinal plants study, Department of biochemistry of the University of Yaoundé 1, for undertaking the biological activities; and the Laboratory of NMR and Molecular Imaging, University of Mons, Belgium, for the spectral analysis of compounds.

Disclosure statement

No potential conflict of interest was reported by the authors.



Sample Our Physical Science journals









Information for

Authors

Editors

Librarians

Societies

Help and info

Help & contact

Newsroom

Commercial services

Advertising information

All journals

Books

Open access

Overview

Open journals

Open Select

Cogent OA

Dove Medical Press

F1000Research

Keep up to date

Register to receive personalised research and resources by email



Sign me up











Copyright © 2020 Informa UK Limited Privacy policy Cookies Terms & conditions Accessibility

Registered in England & Wales No. 3099067 5 Howick Place | London | SW1P 1WG